

Belotero Revive DA_1.0_V14.indd 1

INTRODUCTION

BEAUTY IS A DEEPLY PERSONAL JOURNEY THAT GOES BEYOND SKIN DEEP.

۲

The next generation of beauty seekers value simplicity, aiming to maintain their natural appearance at an early age with preventive measures.

This is where **BELOTERO® REVIVE** comes in.

THE PATIENT

4

۲

BELOTERO® REVIVE appeals to young consumers seeking glowing skin and skin quality improvements while enhancing their individual beauty.

What do your patients really want when they consider an injectable treatment?

2 3 Safe, natural-looking Minimal downtime, Effective and results^{1,2} without comfortable allowing for a looking overdone procedure with high quick return to patient satisfaction³ normal activities1

BELOTERO® REVIVE

BELOTERO® REVIVE BOOSTS OVERALL SKIN QUALITY:

- Improves skin hydration^{4⁻⁶} Reduces redness and improve skin radiance^{#5} Enhances skin elasticity and firmness^{4⁻⁶} Redefines skin texture^{4⁻⁶}
- Smoothens superficial fine lines^{4'5}

Early onset hydration & glow from instant release of Glycerol⁷

Improvement in skin radiance defined by decrease in haemoglobin levels and increase in melanin levels as measured by a mexar

6

۲

PRODUCT KEY INFO

BELOTERO® REVIVE is a resorbable hyaluronic acid (HA) filler that offers a range of benefits for patients seeking to improve the appearance and health of their skin. Indicated for treating early signs of photo-damaged skin caused by chronic sun exposure, it can also improve skin elasticity, firmness, and hydration, filling fine lines and improving skin texture.

	BELOTER
BELOTERO [®] REVIVE	
20mg/ml	
17.5mg/ml	
1.0ml	
1.0ml	
	20mg/ml 17.5mg/ml 1.0ml

BELOTERO® REVIVE offers a range of benefits that make it a top-of-mind choice for HCPs seeking to provide optimal results for their patients. These benefits include:

- Improving skin elasticity and firmness⁴⁻⁶
- \checkmark

- Rejuvenate skin through improved hydration⁴⁻⁶
- Excellent safety profile with a generally low level of injection site pain^{5'6}

CPM TECHNOLOGY

THE SCIENCE BEHIND **BELOTERO® REVIVE:**

UNDERSTANDING THE COHESIVE POLYDENSIFIED MATRIX (CPM®) TECHNOLOGY





Phase 1 ronic acid in its original form (single chains, random coil structure).

۲



Phase 4 Expansion of the gel that was created in the cross-linking process

MULTIPLE DENSITY ZONES - HOW PRODUCT BEHAVES IN SKIN AFTER INJECTION⁹





STANDARD CROSS-LINKING



Phase 2 Linearization of the individual hyaluronic acid chains: the random coil structure untangles



Phase 3 First hyaluronic acid cross-linking process with BDDE: a cellular monophasic gel eme

PATENTED DYNAMIC CROSS-LINKING TECHNOLOGY (DCLT)⁸



Phase 5 Second cross-linking process, supplemented with additional non-cross-linked hyaluronic acid



۲

INJECTION TECHNIQUE

INJECTION TECHNIQUE:


ACHIEVING OPTIMAL RESULTS WITH BELOTERO® REVIVE

To ensure optimal outcomes with BELOTERO® REVIVE, it is important to follow a detailed injection protocol and utilize best practices for pain and patient comfort management. Below are guidelines for injecting BELOTERO[®] REVIVE, as well as tips for achieving optimal results.

Pre-Treatment	Numbing Cream (30-40min before Treatment)
Needle Size	30G – 32G
Treatment Are a	Divide Lower Face into 3–12 squares (15mm x 15mm) 3 squares for cheeks, 9–12 squares for lower face
Injection	Inject each square with 4 serial puncture drops of 0.01 – 0.02ml of BELOTERO® REVIVE
Depth	Deep dermal to immediate subdermal
After Treatment	Massage the face after treatment
Interval	Start with 3 Injections 4 wee ks apart, follow-up 6–9 months after last treatment

۲

Use this square to mark the treatment areas on your patients face



INJECTION DEPTH & SESSIONS

BELOTERO® REVIVE should be injected into the deep dermis and immediate subdermis.


DEEP DERMIS

PAIN MANAGEMENT STRATEGIES

To ensure patient comfort during injections, various pain management strategies can be employed. These may include topical anesthetics, ice packs, or vibration devices. Each strategy or technique comes with its own benefits and risks, and guidelines for when and how each should be used should be followed.

DOSAGE AND FOLLOW-UP CARE

The quantity of injected product will depend on the individual facial area and desired results. Maintenance injections every 6-9 months can help uphold skin quality improvement.



۲


SAFETY

BELOTERO® REVIVE

FOR PATIENTS SEEKING NOTICEABLE IMPROVEMENTS TO THEIR NATURAL APPEARANCE.

The safety and efficacy of BELOTERO® REVIVE have been demonstrated in clinical studies that evaluated the product's use in patients with early signs of photo-damaged skin. The results from these studies showed that BELOTERO® REVIVE provided significant improvements in skin texture, hydration, and radiance, with a high level of patient satisfaction and minimal side effects^{5,6}.





*TEAE, treatment-emergent adverse event.



۲

PATIENT OUTCOMES:

RESULTS THAT SPEAK FOR THEMSELVES

BELOTERO® REVIVE is more than just a filler – it's a comprehensive solution for achieving natural-looking results while improving skin health. Patients who have received treatment with BELOTERO® REVIVE have reported great outcomes, demonstrating the product's effectiveness and high patient satisfaction.



(Before treatment vs 6 months after treatment)



Baseline

*28 weeks after last injection session ^20 weeks after last injection session Individual results may vary.

۲

10

Up to 36 weeks⁺: Improved skin hydration and reduced skin redness⁵

Over 80% of patients were satisfied⁵ with the treatment at Week 28[^]

90% of patients would recommend the product to friends⁵

100% of all subjects showed an improved aesthetic outcome⁵




W28


۲

۲

REJUVENATING BOOST IN SKIN HYDRATION⁵




Hertz-Kleptow D, et al. Facial skin revitalization with CPM®-HA20G: an effective and safe early intervention treatment. Clin Cosmet Investig Dermatol. 2019; 12:563-572.



Kerscher M, et al. Facial Skin Revitalization with Cohesive Polydensified Matrix-HA20G: Results from a Randomized Multicenter Clinical Study. Plast Reconstr Surg Glob Open. 2021 Dec 3;9(12):3973.


✐



⁺ After a misuse of the cutometer, seven measurements at W28 and all at W36 were unusable and excluded from analysis

Hertz-Kleptow D, et al. Facial skin revitalization with CPM®-HA20G: an effective and safe early intervention treatment. Clin Cosmet Investig Dermatol. 2019; 12:563-572.

INCREASE IN SKIN RADIANCE#5




Hertz-Kleptow D, et al. Facial skin revitalization with CPM®-HA20G: an effective and safe early intervention treatment. Clin Cosmet Investig Dermatol. 2019; 12:563-572.

⁴Improvement in skin radiance defined by decrease in haemoglobin levels and increase in melanin levels as measured by a mexameter⁵.

۲


۲

NOTICEABLE DECREASE IN SKIN ROUGHNESS⁵




Full analysis set, measured using a PRIMOS device. Ra is defined as the arithmetic mean of skin roughness measurement values; Rq is defined as the quadratic mean of skin roughness measurement values. The arithmetic mean of single roughness depth is described by Rz.

Hertz-Kleptow D, et al. Facial skin revitalization with CPM®-HA20G: an effective and safe early intervention treatment. Clin Cosmet Investig Dermatol. 2019; 12:563-572.



PATIENT SATISFACTION⁶


WITH HOW FRESH THE FACE LOOKS ON FACE-Q.



Majority of subjects were "somewhat" and "very satisfied" for majority of FACE-Q questions on facial skin appearance in both groups throughout the study.

W = week

Kerscher M, et al. Facial Skin Revitalization with Cohesive Polydensified Matrix-HA20G: Results from a Randomized Multicenter Clinical Study. Plast Reconstr Surg Glob Open. 2021 Dec 3;9(12):e3973.




W = week

۲

GAIS, Global Aesthetic Improvement Scale; GICS, Global Impression of Change Scale

Hertz-Kleptow D, et al. Facial skin revitalization with CPM®-HA20G: an effective and safe early intervention treatment. Clin Cosmet Investig Dermatol. 2019; 12:563-572.

GLOBAL AESTHETIC IMPROVEMENT⁶




Highest improvement on iGAIS noted at 4 weeks post treatment completion: 90.7% of subjects at W12 in the multiple-dose group and 74.6% at W4 in the single-dose group rated as "at least improved".

SGAIS results are consistent with that of iGAIS

W = week

iGAIS, Investigator Global Aesthetic Improvement Scale; sAIS, subject GAIS.

Kerscher M, et al. Facial Skin Revitalization with Cohesive Polydensified Matrix-HA20G: Results from a Randomized Multicenter Clinical Study. Plast Reconstr Surg Glob Open. 2021 Dec 3;9(12):3973.



۲

SUMMARY

BELOTERO[®] REVIVE is an innovative skincare solution and the ideal choice for patients who want to maintain their natural appearance, while improving their skin quality.

۲

BELOTERO® REVIVE is designed to improve the skin's hydration, elasticity, firmness and texture without looking overdone.

This is achieved using a unique combination of hyaluronic acid and glycerol - leveraging i_{56}^{ts} hygroscopic properties, which work synergistically to enhance skin health and appearance resulting in a more youthful and radiant appearance.

The patented Cohesive Polydensified Matrix (CPM[®]) technology from the BELOTERO[®] range provides BELOTERO[®] REVIVE with unique rheological properties for even distribution and seamless skin integration. The addition of glycerol delivers an additional hydration effect to boost skin moisture and radiance.

Clinical studies have demonstrated the effectiveness of BELOTERO[®] REVIVE in improving skin quality for up to 9 months after treatment, with high levels of patient and healthcare professional satisfaction

With natural-looking results, long-lasting effects, and high patient satisfaction, BELOTERO[®] REVIVE is a safe, effective, and minimally invasive solution for their skincare needs. Whether to treat early signs of photo-damaged skin, or improve overall skin quality for pre-juvenation, BELOTERO[®] REVIVE is a versatile product that can help patients achieve their aesthetic goals while preserving their individuality.

References

۲

- SKIM, Dermal Fillers Consumer Deep Dive Research, CN, KR, TH, 2022, n=72
- 2. Frost & Sullivan, Focus Group Discussion with Consumers on HA Dermal Filler Users, KR, SG, TH, TW, 2019, N=54
- 3. Merz Aesthetic Patient Survey, a globally conducted survey with 5,000 patients, July 2015.
- BELOTERO® Revive Instruction for use 202
- Hertz-Kleptow D. et al. Clin Cosmet Investig Dermatol. 2019:12:563
- 6 Kerscher M. et al. Plast Reconstr Surg Glob Open, 2021 Dec 3:9/12):e3973
- 7. Marquardt K, et al. Hydration effect of a revitalizing CPM®cross-linked hyaluronic acid gel containing glycerol.
- a Dister presented at Avvivic world Congress 2020 Monaco.

BELOTERO® R E V I V E

Copyright ©2023 Merz Asia Pacific Pte. Ltd. All Rights Reserved. MERZ AESTHETICS and BELOTERO® are registered trademarks of Merz Pharma GmbH & Co. KGaA. All other trademarks are property of their respective owners.

For Healthcare Professionals Consultation Use Only.



VANGUARD AESTHETICS SDN. BHD. Unit A-25-06, Pinnacle Petaling Jaya, Jalan Utara C, 46200 Petaling Jaya, Selangor, Malaysia www.vga-asia.com

۲